Author index

Abbott, B. H.: *see* Berry, D. R., 80
Abou-Zeid, A. A.: *see* Ashy, M. A., 20
Adlercreutz, Patrick and Mattiasson, Bo: Oxygen supply to immobilized cells: 1. Oxygen production by immobilized *Chlorella pyrenoidosa*, 332
Adlercreutz, Patrick; Holst, Olle and Mattiasson, Bo: Oxygen supply to immobilized cells: 2. Studies on a coimmobilized algae–bacteria preparation with *in situ* oxygen generation, 395
Albanesi, Donatella: *see* Alfani, Francesco, 181
Alberti, Barbara N. and Klibanov, Alexander M.: Preparative production of hydroquinone from benzoquinone catalysed by immobilized D-glucose oxidase, 47
Alfani, Francesco; Albanesi, Donatella; Cantarella, Maria and Scardi, Vincenzo: Effects of temperature and shear on the activity of acid phosphatase in a tubular membrane reactor, 181
Al-Rabiai, S.: *see* Ghosh, A., 110
Arnaud, A.: *see* Bui, K., 195
Ashy, M. A., Abou-Zeid, A. A.; El-Diwany, A. I. and Gad, M. R.: Fermentative production of spiramycins, 20
Azari, Mahmood R. and Wiseman, Alan: Evaluation of immobilized cytochrome *P*-448 from *Saccharomyces cerevisiae* using permeabilized whole cell, microsomal fraction and highly purified reconstituted forms, with benzopyrene-3-monooxygenase activity, 401

Banks, G. T.: *see* Kennedy, John F., 39
Barker, S. A.: *see* Gray, C. J., 143, 147 and 419
Barker, S. Alan: *see* Kennedy, John F., 39
Belikov, V. M.: *see* Faleev, N. G., 164
Berry, D. R., Fukuda, D. S. and Abbott, B. J.: Enzymatic removal of a cephalosporin methyl ester blocking group, 80
Bourdillon, Christian; Thomas, Vaughan and Thomas, Daniel: Electrochemical study of D-glucose oxidase autoinactivation, 175
Brodelius, Peter: *see* Szwajcer, Estera, 409
Brovko, L. Yu.: *see* Ugarova, N. N., 224
Bui, K., Arnaud, A. and Galzy, P.: A new method to prepare amides by bioconversion of corresponding nitriles, 195
Burke, Daniel: *see* Wasserman, Bruce, P., 107
Byun, Si Myung: *see* Kim, Woo Yeon, 239

Cabral, J. M. S., Kennedy, J. F. and Novais, J. M.: Investigation of the binding mechanism of glucoamylase to alkylamine derivatives of titanium(IV)-activated porous inorganic supports, 337
Cabral, J. M. S., Kennedy, J. F. and Novais, J. M.: Investigation of the operational stabilities and kinetics of glucoamylase immobilized on alkylamine derivatives of titanium(IV)-activated porous inorganic supports, 343
Cambou, B.: *see* Guillochon, D., 96
Cantarella, Maria: *see* Alfani, Francesco, 181
Castner, James F.: *see* Wingard, Lemuel B. Jr., 137
Catignani, George L.: *see* Church, Frank C., 313 and 317
Chandra, A. L.: *see* De, S., 158
Chang, Thomas Ming Swi: *see* Yu, Yao-Ting, 327
Chen, L. F.: *see* Chiang, L. C., 93
Chen, Li-Fu: *see* Hsiao, Hung-Yu, 25
Chen, W.: *see* Zhu, Y. S., 3
Chiang, L. C., Hsiao, H. L., Flickinger, M. C., Chen, L. F. and Tsao, G. T.: Ethanol production from pentoses by immobilized microorganisms, 93
Chiang, Lin-Chang: *see* Hsiao, Hung-Yu, 25
Church, Frank C., Catignani, George L. and Swaisgood, Harold E.: Urea denaturation of the immobilized proteases of *Streptomyces griseus* (pronase), 313
Church, Frank C., Catignani, George L. and Swaisgood, Harold E.: Use of immobilized *Streptomyces griseus* proteases (pronase) as a probe of structural transitions of lysozyme, β-lactoglobulin and casein, 317
Cordier, D., Couturier, R., Grasset, L. and Ville, A.: Ribonuclease insolubilization using diazotized silk, 249
Couturier, R.: *see* Cordier, D., 249
Custinne, M.: *see* Thonart, Ph., 191
De, S. and Chandra, A. L.: A keratin-decomposing streptomycete, 158
Deponte, Romeo: *see* Kobrehel, Dorde, 185
D'Silva, C. J. S. J.: *see* Gray, C. J., 419
Duddridge, J. E.: *see* Wainwright, M., 32
Dunnill, P.: *see* McDougall, B., 114

El-Diwany, A. I.: *see* Ashy, M. A., 20
Elwing, Hans: *see* Wikström, Maude, B., 265
Esclade, L.: *see* Guillochon, D., 96
Eveleigh, D. E.: *see* Ghosh, A., 110

Faleev, N. G., Martinkova, N. S., Sadovnikova, M. S., Saporovskaya, M. B. and Belikov, V. M.: The L- and D-threonine dehydratases accompanying L-tryosine phenol-lyase: selective decomposition of D-threonine in racemic mixture, 164
Fei, J. X.: *see* Zhu, Y. S., 3
Fenton, D. M.: Solvent treatment for β-D-galactosidase release from yeast cells, 229
Flickinger, M. C.: *see* Chiang, L. C., 93
Fukuda, D. S.: *see* Berry, D. R., 80

Gad, M. R.: *see* Ashy, M. A., 20
Galzy, P.: *see* Bui, K., 195
Gao, J. H.: *see* Zhu, Y. S., 3
Gemeiner, P.: *see* Zemek, J., 233
Ghosh, A., Al-Rabiai, S., Ghosh, B. K., Trimiño-Vazquez, H., Eveleigh, D. E. and Montenecourt, B. S.: Increased endoplasmic reticulum content of a mutant of *Trichoderma reesei* (RUT-C30) in relation to cellulase synthesis, 110
Ghosh, B. K.: *see* Ghosh, A., 110
Ghosh, P., Pamment, N. B. and Martin, W. R. B.: Simultaneous saccharification and fermentation of cellulose: effect of β-D-glucosidase activity and ethanol inhibition of cellulases, 425
Gianfreda, Liliana; Livolsi, Anna Maria; Scarfì, Maria Rosaria and Greco, Guido Jr: β-D-Glucosidase stabilization in a polarized ultrafiltration membrane reactor, 322
Gong, Cheng-shung: *see* Ueng, Pear P., 169
Grasset, L.: *see* Cordier, D., 249
Gray, C. J., D'Silva, C. J. S. J. and Barker, S. A.: Yeast asparate aminotransferase: preparation of the apoenzyme and its interaction with coenzyme analogues, 419
Gray, C. J., Lee, C. M. and Barker, S. A.: Immobilization of enzymes on Spheron: 1. Trypsin and glucoamylase by the titanium-chelation method, 143
Gray, C. J., Lee, C. M. and Barker, S. A.: Immobilization of enzymes on Spheron: 2. β-Amylase – the development of a column reactor–separator, 147
Greco, Guido, Jr: *see* Gianfreda, Liliana, 322
Greenfield, Paul F.: *see* Jones, Rodney, P., 210
Guillochon, D., Ludot, J. M., Esclade, L., Cambou, B. and Thomas, D.: Hydroxylase activity of immobilized haemoglobin, 96

Holst, Olle: *see* Adlercreutz, Patrick, 395
Hsiao, Hung-Yu; Chiang, Lin-Chang; Chen, Li-Fu and Tsao, George T.: Effects of borate on isomerization and yeast fermentation of high xylulose solution and acid hydrolysate of hemicellulose, 25
Hsiao, H. Y.: *see* Chiang, L. C., 93

Ishimori, Yoshio; Karube, Isao and Suzuki, Shuichi: Continuous production of glucose oxidase with *Aspergillus* sp. under ultrasound waves, 85

Jacobson, Bruce, S.: *see* Wasserman, Bruce P., 107
Jin, C. K. and Wang, S. S.: Continuous production of ethanol in a two-stage fermentation process using a protein–phospholipid complex as a protective agent, 256
Jones, Peter: *see* Kennedy, John F., 39
Jones, Rodney, P. and Greenfield, Paul F.: Effect of carbon dioxide on yeast growth and fermentation, 210

Kargi, Fikret: Microbiological coal desulphurization, 13
Karube, Isao: *see* Ishimori, Yoshio, 85
Kennedy, John F.; Jones, Peter; Barker, S. Alan and Banks, G. T.: Factors affecting microbial growth and polysaccharide production during the fermentation of *Xanthomonas campestris* cultures, 39
Kennedy, J. F.: *see* Cabral, J. M. S., 337, 343
Kennedy, John F.: *see* Sturgeon, Catherine M., 50, 118, 198, 276, 356 and 431
Killham, K.: *see* Wainwright, M., 32
Kim, M. H., Lee, S. B., Ryu, Dewey, D. Y. and Reese, E. T.: Surface deactivation of cellulase and its prevention, 99
Kim, Woo Yeon; Byun, Si Myung and Uhm, Tai Boong: Hydrolysis of inulin from Jerusalem artichoke by inulinase immobilized on aminoethylcellulose, 239

Kiselev, A. V.: *see* Lomako, O. V., 89
Klibanov, Alexander, M. and Siegel, Ellen H.: Geometric specificity of porcine liver carboxylesterase and its application for the production of *cis*-arylacrylic esters, 172
Klibanov, Alexander M.: *see* Alberti, Barbara N., 47
Kobrehel, Dorde and Deponte, Romeo: Proteolytic inactivation of 1,4-α-D-glucan 6-α-D-glucosyltransferase purified from *Aspergillus niger* R-27, 185
Kohn, Joachim and Wilchek, Meir: Mechanism of activation of Sepharose and Sephadex by cyanogen bromide, 161
Körner, D.: *see* Lupin, I.V., 104
Kost, N. V.: *see* Ugarova, N. N., 224
Kučár, S.: *see* Zemek, J., 233
Kuniak, Ľ.: *see* Zemek, J., 233

LaMotta, Enrique J.: *see* Shieh, Wen K., 269
Larsson, Per-Olof: *see* Mattiasson, Bo, 153
Lee, C. M.: *see* Gray, C. J., 143 and 147
Lee, S. B. and Ryu, Dewey, D. Y.: Reaction kinetics and mechanisms of penicillin amidase: a comparative study by computer simulation, 35
Lee, S. B.: *see* Kim, M. H., 99
Lilly , M. D.: *see* McDougall, B., 114
Lim, Henry C.: *see* Rolf, Michael J., 370
Lindahl, Lennarth: *see* Mattiasson, Bo, 153
Linden, James Carl: Immobilized α-D-galactosidase in the sugar beet industry, 130
Livolsi, Anna Maria: *see* Gianfreda, Liliana, 322
Lomako, O. V., Menyailova, I. I., Nakhapetyan, L. A., Nikitin, Yu and Kiselev, A. V.: Immobilization of glucoamylase on porous silicas, 89
Ludot, J. M.: *see* Guillochon, D., 96
Lupin, I. v., Körner, D., Täufel, A. and Ruttloff, H.: Application of automatic protease determination in a fermenter, 104

Maleszka, R., Wang, P. Y. and Schneider, Henry,: Ethanol production from D-galactose and glycerol by *Pachysolen tannophilus*, 349
Martin, W. G.: *see* Ziomek, E., 405
Martin, W. R. B.: *see* Ghosh, P., 425
Martinek, Karel: *see* Mozhaev, V. V., 299
Martinkova, N. S.: *see* Faleev, N. G., 164
Mattiasson, Bo; Larsson, Per-Olof; Lindahl, Lennarth and Sahlin, Peter: Vitamin analysis with use of a yeast electrode, 153
Mattiasson, Bo: *see* Adlercreutz, Patrick, 332 and 395
McDougall, B., Dunnill, P. and Lilly, M. D.: Enzymic acylation of 6-aminopenicillanic acid, 114
Menyailova, I. I.: *see* Lomako, O. V., 89
Möller, Åke J. R.: *see* Wikström, Maude, B., 265
Montenecourt, B. S.: *see* Ghosh, A., 110
Mosbach, Klaus: *see* Szwajcer, Estera, 409
Mozhaev, V. V. and Martinek, Karel: Inactivation and reactivation of proteins (enzymes), 299
Mulcahy, Leo T.: *see* Shieh, Wen K., 269

Nakhapetyan, L. A.: *see* Lomako, O. V., 89
Nikitin, Yu.: *see* Lomako, O. V., 89
Novais, J. M.: *see* Cabral, J. M. S., 337 and 343

Obidairo, T. K. and Ofuru, O. R.: Studies on trypsin inhibitors in the tubers of cocoyam (*Xanthosoma sagittifolium*), 353
Ofuru, O. R.: *see* Obidairo, T. K., 353

Pamment, N. B.: *see* Ghosh, P., 425
Paquot, M.: *see* Thonart, Ph., 191
Pelmore, Heather and Somers, P. J.: Effect of oxyanions on the glucose isomerase catalysed equilibrium: 1. Complexes of D-glucose and D-fructose with germanate, 390
Purohit, A. P.: *see* Shah, D. N., 116

Quirk, Alan V.: *see* Woodrow, John R., 385

Reese, E. T.: *see* Kim, M. H., 99
Remy, Marie-Hélène and Thomas, Daniel: Neoglycoenzymes: production and physicococochemical properties, 381
Rolf, Michael J. and Lim, Henry C.: Computer control of fermentation processes, 370
Ruttloff, H.: *see* Lupin, I. v., 104
Ryu, Dewey D.Y.: *see* Kim, M. H., 99
Ryu, Dewey D. Y.: *see* Lee, S. B., 35

Sadana, Ajit: Deactivation model involving a grace period for immobilized and soluble enzymes, 44
Saddler, J. N.: Screening of cellulolytic fungi and the action of their cellulase enzyme systems, 414
Sadovnikova, M. S.: *see* Faleev, N. G., 164
Sahlin, Peter: *see* Mattiasson, Bo, 153
Saporovskaya, M. B.: *see* Faleev, N. G., 164
Scardi, Vincenzo: *see* Alfani, Francesco, 181
Scarfì, Maria Rosaria: *see* Gianfreda, Liliana, 322
Schneider, Henry: *see* Maleszka, R., 349
Shah, D. N., Purohit, A. P. and Sriprakash, K. S.: Preliminary genetic studies on a citric acid producing strain of *Saccharomycopsis lipolytica*, 116
Shaw, Ching Hao: *see* Wingard, Lemuel B. Jr, 137
Shieh, Wen K., Mulcahy, Leo T. and LaMotta, Enrique J.: Mathematical model for the fluidized bed biofilm reactor, 269
Shih, C. N.: *see* Zhu, Y. S., 3
Siegel, Ellen H.: *see* Klibanov, Alexander M., 172
Skiba, Ute and Wainwright, M.: Assay of urease activity in marine sands – its use as an indicator of sewage contamination of beaches, 310
Somers, P. J.: *see* Pelmore, Heather, 390
Sriprakash, K. S.: *see* Shah, D. N., 116
Sturgeon, Catharine M. and Kennedy, John F.: A quick-reference summary of recent literature on molecular immobilization and bioaffinity phenomena, surveys 13–18, 50, 118, 198, 276, 356 and 431
Sundaram, P. V.: Analytical applications for routine use with immobilized enzyme nylon tube reactors, 290
Suzuki, Shuichi: *see* Ishimori, Yoshio, 85
Swaisgood, Harold E.: *see* Church, Frank C., 313 and 317
Szwajcer, Estera; Brodelius, Peter and Mosbach, Klaus: Production of α-keto acids: 2. Immobilized whole cells of *Providencia* sp. PCM 1298 containing L-amino acid oxidase, 409

Tait, Robert, C.: Hydrogenase genetics, 66
Tan, C.: *see* Zhu, Y. S., 3
Täufel, A.: *see* Lupin, I. v., 104
Thomas, Daniel: *see* Bourdillon, Christian, 175
Thomas, D.: *see* Guillochon, D., 96
Thomas, Daniel: *see* Remy, Marie-Hélène, 381
Thomas, Vaughan: *see* Bourdillon, Christian, 175
Thonart, Ph., Custinne, M. and Paquot, M.: Zeta potential of yeast cells; application in cell immobilization, 191
Trimiño-Vazquez, H.: *see* Ghosh, A., 110
Tsao, G. T.: *see* Chiang, L. C., 93
Tsao, George, T.: *see* Hsiao, Hung-Yu, 25

Ueng, Pear P. and Gong, Cheng-shung: Ethanol production from pentoses and sugar-cane bagasse hemicellulose hydrolysate by *Mucor* and *Fusarium* species, 169
Ugarova, N. N., Brovko, L. Yu and Kost, N. V.: Immobilization of luciferase from the firefly *Luciola mingrelica* – catalytic properties and stability of the immobilized enzyme, 224
Uhm, Tai Boong: *see* Kim, Woo Yeon, 239

Veliky, I. A.: *see* Ziomek, E., 405
Ville, A.: *see* Cordier, D. 249

Wainwright, M., Duddridge, J. E. and Killham, K.: Assay of α-amylase in soil and river sediments: its use to determine the effects of heavy metals on starch degradation, 32
Wainwright, M.: *see* Skiba, Ute, 310
Wang, P. Y.: *see* Maleszka, R., 349
Wang, S. S.: *see* Jin, C. K., 256
Wasserman, Bruce P., Burke, Daniel and Jacobson, Bruce S.: Immobilization of glucoamylase from *Aspergillus niger* on poly(ethylenimine)-coated non-porous glass beads, 107
Wikström, Maude B., Elwing, Hans and Möller, Åke J. R.: Proteins adsorbed to a hydrophobic surface used for determination of proteolytic activity, 265
Wilchek, Meir: *see* Kohn, Joachim, 161
Williams, R. E.: *see* Ziomek, E., 405
Wingard, Lemuel B. Jr, Shaw, Ching Hao and Castner, James F.: Bioelectrochemical fuel cells, 137
Wiseman, Alan: *see* Azari, Mahmood R., 401
Wiseman, Alan: *see* Woodward, Jonathan, 73
Woodrow, John R. and Quirk, Alan V.: Evaluation of the potential of a bead mill for the release of intracellular bacterial enzymes, 385
Woodward, Jonathan and Wiseman, Alan: Fungal and other β-D-glucosidases – their properties and applications, 73
Woodward, Jonathan and Zachry, Glenna S.. Immobilization of cellulase through its carbohydrate side chains – a rationale for its recovery and reuse, 245
Wu, Y. Q.: *see* Zhu, Y. S., 3

Yu, Yao-Ting and Chang, Thomas Ming Swi: Immobilization of multienzymes and cofactors within lipid–polyamide membrane microcapsules for the multistep conversion of lipophilic and lipophobic substrates, 327

Zaborsky, Oskar R.: Patent reports, 54, 122, 202, 280, 360 and 435

Zachry, Glenna S.: *see* Woodward, Jonathan, 245

Zámocký.: *see* Zemek, J., 233

Zemek, J., Kuniak, Ľ., Gemeiner, P., Zámocký, J. and Kučár, Š.: Crosslinked polyethylenimine: an enzyme carrier with spacers of various lengths introduced in crosslinking reaction, 233

Zhu, Y. S., Wu, Y. Q., Chen, W., Tan, C., Gao, J. H., Fei, J. X. and Shih, C. N.: Induction and regulation of cellulose synthesis in *Trichoderma pseudokoningii* mutants EA_3-867 and N_2-78, 3

Ziomek, E., Martin, W. G., Veliky, I. A. and Williams, R. E.: Immobilization of *Desulphovibrio desulphuricans*: cell-associated hydrogenase in beaded matrices, 405

Subject index

Acid phosphatase, activity of, in a tubular membrane reactor, effects of temperature and shear on, 181

Activation of Sepharose and Sephadex by cyanogen bromide, mechanism of, 161

Acylation of 6-aminopenicillanic acid, enzymic, 114

Adsorption of proteins to a hydrophobic surface, used for determination of proteolytic activity, 265

Algae–bacteria coimmobilized preparation with *in situ* oxygen generation. Oxygen supply to immobilized cells: 2., 395

Alkylamine derivatives of titanium(IV)-activated porous inorganic supports, investigation of the binding mechanism of glucoamylase to, 337

Alkylamine derivatives of titanium(IV)-activated porous inorganic supports, investigation of the operational stabilities and kinetics of glucoamylase immobilized on, 343

Amides, a new method to prepare, by bioconversion of corresponding nitriles, 195

L-Amino acid oxidase, immobilized whole cells of *Providencia* sp. PCM 1298 containing. Production of α-keto acids: 2., 409

Aminoethylcellulose, inulinase immobilized on, hydrolysis of inulin from Jerusalem artichoke by, 239

6-Aminopenicillanic acid, enzymic acylation of, 114

α-Amylase in soil and river sediments, assay of: its use to determine the effects of heavy metals on starch degradation, 32

β-Amylase, immobilization on Spheron, the development of a column reactor–separator, 147

Apoenzyme, yeast aspartate aminotransferase, preparation of, and its interaction with coenzyme analogues, 419

cis-Arylacrylic esters, production of, geometric specificity of porcine liver carboxylesterase and its application for, 172

Aspartate aminotransferase, yeast, preparation of the apoenzyme and its interaction with coenzyme analogues, 419

Aspergillus sp., continuous production of D-glucose oxidase with, under ultrasound waves, 85

Aspergillus niger R-27, proteolytic inactivation of 1,4-α-D-glucan 6-α-D-glucosyltransferase purified from, 185

Aspergills niger R-27, proteolytic inactivation of 1,4-α-D-glucan 6-α-D-glucosyltransferase purified from 185

Autoinactivation, of D-glucose oxidase, electrochemical study, 175

Automatic protease determination in a fermenter, application of, 104

Bead mill, evaluation of the potential of, for the release of intracellular bacterial enzymes, 385

Benzopyrene-3-monooxygenase activity, evaluation of immobilized cytochrome *P*-448 from *Saccharomyces cerevisiae* using permeabilized whole cell, microsomal fraction and highly purified reconstituted forms with, 401

Bioaffinity phenomena and molecular immobilization: a quick-reference literature survey of recent literature on, 50, 118, 198, 276, 356 and 431

Bioelectrochemical fuel cells, 137

Blocking group, cephalosporin methyl ester, enzymatic removal of, 80

Borate, effects of, on isomerization and yeast fermentation of high xylulose solution and acid hydrolysate of hemicellulose, 25

Carbohydrate side chains, immobilization of cellulase through, a rationale for its recovery and reuse, 245

Carbon dioxide, effect of, on yeast growth and fermentation, 210

Carboxylesterase, porcine liver, geometric specificity of, and its application for the production of *cis*-arylacrylic esters, 172

Cell immobilization, zeta potential of yeast cells, application in, 191

Cells of *Providencia* sp. PCM 1298, immobilized, containing L-amino acid oxidase. Production of α-keto acids: 2., 409

Cellulase enzyme systems, screening of highly cellulolytic fungi and the action of, 414

Cellulase, surface deactivation of, and its prevention, 99

Cellulase, immobilization of, through its carbohydrate side chains – a rationale for its recovery and reuse, 245

Cellulase synthesis, increased endoplasmic reticulum content of a mutant of *Trichoderma reesei* (RUT-C30) in relation to, 110

Cellulase synthesis in *Trichoderma pseudokoningii* mutants EA_3-867 and N_2-78, induction and regulation of, 3

Cellulases, effect of β-D-glucosidase activity and ethanol inhibition of: simultaneous saccharification and fermentation of cellulose, 425

Cellulose, simultaneous saccharification and fermentation of: effect of β-D-glucosidase activity and ethanol inhibition of cellulases, 425

Cephalosporin methyl ester blocking group, enzymatic removal of, 80

Chlorella pyrenoidosa, immobilized oxygen production by. Oxygen supply to immobilized cells: 1., 332

Citric acid producing strain of *Saccharomycopsis lipolytica*, preliminary genetic studies on, 116

Coal desulphurization, microbiological, 13

Cocoyam (*Xanthosoma sagittifolium*), studies on trypsin inhibitors in the tubers of, 353

Coenzyme analogues, yeast aspartate aminotransferase, preparation of the apoenzyme and its interaction with, 419

Cofactors and multienzymes, immobilization of, within lipid–polyamide membrane microcapsules for the multistep conversion of lipophilic and lipophobic substrates, 327

Coimmobilized algae–bacteria preparation with *in situ* oxygen generation. Oxygen supply to immobilized cells: 2., 395

Computer control of fermantation processes, 370

Computer simulation, a comparative study by: reaction kinetics and mechanisms of penicillin amidase, 35

Crosslinked poly(ethylenimine): an enzyme carrier with spacers of various lengths introduced in crosslinking reaction, 233

Cyanogen bromide, mechanism of activation of Sepharose and Sephadex, 161

Cytochrome *P*-448 from *Saccharomyces cerevisiae*, immobilized using permeabilized whole cell, microsomal fraction and highly purified reconstituted forms, with benzopyrene-3-monooxygenase activity, evaluation of, 401

Deactivation, surface, of cellulase and its prevention, 99

Deactivation model involving a grace period for immobilized and soluble enzymes, 44

Denaturation, urea, of the immobilized proteases of *Streptomyces griseus* (pronase), 313

Desulphovibrio desulphuricans, immobilization of: cell-associated hydrogenase in beaded matrices, 405

Desulphurization, coal, microbiological, 13

Diazotized silk, ribonuclease insolubilization using, 249

Electrochemical study of D-glucose oxidase autoinactivation, 175

Electrode, yeast, vitamin analysis with use of, 153

Endoplasmic reticulum content, increased, of a mutant of *Trichoderma reesei* (RUT-C30) in relation to cellulase synthesis, 110

Enzymatic removal of a cephalosporin methyl ester blocking group, 80
Enzyme carrier, crosslinked poly(ethylenimine), with spacers of various lengths introduced in crosslinking reaction, 233
Enzymes, bacterial, evaluation of the potential of a bead mill for the release of intracellular, 385
Enzymes, immobilized and soluble, deactivation model involving a grace period for, 44
Enzymes, inactivation and reactivation of, 299
Enzymes, immobilization of, on Spheron: 2. β-Amylase – the development of a column reactor–separator, 147
Enzymic acylation of 6-aminopenicillanic acid, 114
Esters, *cis*-arylacrylic, production of, geometric specificity of porcine liver carboxylesterase and its application for, 172
Ethanol inhibition of cellulases, effect of β-D-glucosidase activity and: simultaneous saccharification and fermentation of cellulose, 425
Ethanol, continuous production of, in a two-stage fermentation process using a protein–phospholipid complex as a protective agent, 256
Ethanol production from D-galactose and glycerol by *Pachysolen tannophilus*, 349
Ethanol production from pentoses by immobilized microorganisms, 93
Ethanol production from pentoses and sugar-cane bagasse hemicellulose hydrolysate by *Mucor* and *Fusarium* species, 169

Fermentation, yeast growth and, effect of carbon dioxide on, 210
Fermentation of *Xanthomonas campestris* cultures, factors affecting microbial growth and polysaccharide production during, 39
Fermentation process, two-stage, continuous production of ethanol in, using a protein–phospholipid complex as a protective agent, 256
Fermentation processes, computer control of, 370
Fermentative production of spiramycins, 20
Fermenter, application of automatic protease determination in, 104
Firefly *Luciola mingrelica* – immobilization of luciferase from, catalytic properties and stability of the immobilized enzyme, 224
Fluidized bed biofilm reactor, mathematical model for, 269
D-Fructose and D-glucose complexes with germanate. Effect of oxyanions on the glucose isomerase catalysed equilibrium: 1., 390
Fuel cells, bioelectrochemical, 137
Fungal and other β-D-glucosidases – their properties and applications, 73
Fungi, cellulolytic, screening of, and the action of their cellulase enzyme systems, 414
Fusarium and *Mucor* species, ethanol production from pentoses and sugar-cane bagasse hemicellulose hydrolysate by, 169

D-Galactose and glycerol, ethanol production from, by *Pachysolen tannophilus*, 349
α-D-Galactosidase, immobilized, in the sugar beet industry, 130
β-D-Galactosidase release from yeast cells, solvent treatment for, 229
Genetic studies, preliminary, on a citric acid producing strain of *Saccharomycopsis lipolytica*, 116
Genetics, hydrogenase, 66
Germanate complexes with D-glucose and D-fructose. Effect of oxyanions on the glucose isomerase catalysed equilibrium: 1., 390
Glass beads, non-porous, poly(ethylenimine)-coated, immobilization of glucoamylase from *Aspergillus niger* on, 107
1,4-α-D-Glucan 6-α-D-glucosyltransferase purified from *Aspergillus niger* R-27, proteolytic inactivation of, 185
Glucoamylase, binding mechanism of, to alkylamine derivatives of titanium(IV)-activated porous inorganic supports, 337
Glucoamylase immobilized on alkylamine derivatives of titanium(IV)-activated porous inorganic supports, investigation of the operational stabilities and kinetics of, 343
Glucoamylase, immobilization of, on porous silicas, 89
Glucoamylase from *Aspergillus niger*, immobilization of, on poly(ethylenimine)-coated non-porous glass beads, 107
Glucoamylase and trypsin immobilization by the titanium-chelation method. Immobilization of enzymes on Spheron: 1., 143
D-Glucose and D-fructose complexes with germanate. Effect of oxyanions on the glucose isomerase catalysed equilibrium: 1., 390
Glucose isomerase catalysed equilibrium, effect of oxyanions on: 1. Complexes of D-glucose and D-fructose with germanate, 390
D-Glucose oxidase, continuous production of, with *Aspergillus* sp., under ultrasound waves, 85
D-Glucose oxidase, immobilized, preparative production of hydroquinone from benzoquinone catalysed by, 47
D-Glucose oxidase autoinactivation, electrochemical study of, 175
β-D-Glucosidase activity and ethanol inhibition of cellulases, effect of: simultaneous saccharification and fermentation of cellulose, 425
β-D-Glucosidases, fungal and other – their properties and applications, 73
β-D-Glucosidase stabilization in a polarized ultrafiltration membrane reactor, 322
Glycerol and D-galactose, ethanol production from, by *Pachysolen tannophilus*, 349

Haemoglobin, immobilized, hydroxylase activity of, 96
Heavy metals, effects of, on starch degradation: assay of α-amylase in soil and river sediments to determine, 32
Hemicellulose, acid hydrolysate of, high xylulose solution and, effects of borate on isomerization and yeast fermentation of, 25
Hydrogenase, cell-associated, in beaded matrices: immobilization of *Desulphovibrio desulphuricans*, 405
Hydrogenase genetics, 66
Hydrophobic surface, proteins adsorbed to, used for determination of proteolytic activity, 265
Hydroquinone from benzoquinone, preparative production of, catalysed by immobilized D-glucose oxidase, 47
Hydroxylase activity of immobilized haemoglobin, 96

Immobilization, molecular, and bioaffinity phenomena: a quick-reference literature survey of recent literature on, 50, 118, 198, 276, 356 and 431
Immobilization, cell: zeta potential of yeast cells, application in, 191
Immobilization of cellulase through its carbohydrate side chains – a rationale for its recovery and reuse, 245
Immobilization of *Desulphovibrio desulphuricans*: cell-associated hydrogenase in beaded matrices, 405
Immobilization of enzymes on Spheron: 1. Trypsin and glucoamylase by the titanium-chelation method, 143
Immobilization of enzymes on Spheron: 2. β-Amylase – the development of a column reactor–separator, 147
Immobilization of glucoamylase on porous silicas, 89
Immobilization of glucoamylase from *Aspergillus niger* on poly(ethylenimine)-coated non-porous glass beads, 107
Immobilization of luciferase from the firefly *Luciola mingrelica* – catalytic properties and stability, 224
Immobilization of multienzymes and cofactors within lipid–polyamide membrane microcapsules for the multistep conversion of lipophilic and lipophobic substrates, 327
Immobilized and soluble enzymes, deactivation model involving a grace period for, 44
Immobilized cells, oxygen supply to: 1. Oxygen production by immobilized *Chlorella pyrenoidosa*, 332
Immobilized cells, oxygen supply to: 2. Studies on a coimmobilized algae–bacteria preparation with *in situ* oxygen generation, 395
Immobilized *Chlorella pyrenoidosa*, oxygen production by. Oxygen supply to immobilized cells: 1., 332
Immobilized cytochrome *P*-448 from *Saccharomyces cerevisiae* using permeabilized whole cell, microsomal fraction and highly purified reconstituted forms, with benzopyrene-3-monooxygenase activity, evaluation of, 401
Immobilized enzyme, catalytic properties and stability of – immobilization of luciferase from the firefly *Luciola mingrelica*, 224
Immobilized enzyme nylon tube reactors, analytical applications for routine use with, 290
Immobilized α-D-galactosidase in the sugar beet industry, 130
Immobilized D-glucose oxidase, preparative production of hydroquinone from benzoquinone catalysed by, 47
Immobilized haemoglobin, hydroxylase activity of, 96
Immobilized inulinase, on aminoethylcellulose, hydrolysis of inulin from Jerusalem artichoke by, 239
Immobilized microorganisms, ethanol production from pentoses by, 93
Immobilized proteases of *Streptomyces griseus* (pronase), urea denaturation of, 313

Immobilized *Streptomyces griseus* proteases (pronase), use of, as a probe of structural transitions of lysozyme, β-lactoglobulin and casein, 317
Immobilized whole cells of *Providencia* sp. PCM 1298 containing L-amino acid oxidase. Production of α-keto acids: 2., 409
Inactivation and reactivation of proteins (enzymes), 299
Induction and regulation of cellulase synthesis in *Trichoderma pseudokoningii* mutants EA_3-867 and N_2-78, 3
Insolubilization of ribonuclease using diazotized silk, 249
Inulin from Jerusalem artichoke, hydrolysis of, by inulinase immobilized on aminoethylcellulose, 239
Inulinase immobilized on aminoethylcellulose, hydrolysis of inulin from Jerusalem artichoke by, 239

Jerusalem artichoke, hydrolysis of inulin from, by inulinase immobilized on aminoethylcellulose, 239

Keratin-decomposing streptomycete, 158
α-Keto acids, production of: 2. Immobilized whole cells of *Providencia* sp. PCM 1298 containing L-amino acid oxidase, 409
Kinetics and mechanisms of penicillin amidase: a comparative study by computer simulation, 35
Kinetics and operational stabilities of glucoamylase immobilized on alkylamine derivatives of titanium(IV)-activated porous inorganic supports, 343

Lipid–polyamide membrane microcapsules for the multistep conversion of lipophilic and lipophobic substrates, immobilization of multienzymes and cofactors within, 327
Literature survey: A quick-reference literature survey of recent literature on molecular immobilization and bioaffinity phenomena, 50, 118, 198, 276, 356 and 431
Luciferase from the firefly *Luciola mingrelica*, immobilization of – catalytic properties and stability of the immobilized enzyme, 224
Luciola mingrelica, firefly, immobilization of luciferase from – catalytic properties and stability of the immobilized enzyme, 224
Lysozyme, β-lactoglobulin and casein, use of immobilized *Streptomyces griseus* proteases (pronase) as a probe of structural transitions of, 317

Mathematical model for the fluidized bed biofilm reactor, 269
Membrane, lipid–polyamide, microcapsules, immobilization of multienzymes and cofactors within, for the multistep conversion of lipophilic and lipophobic substrates, 327
Membrane reactor, polarized ultrafiltration, β-D-glucosidase stabilization in, 322
Methyl ester blocking group, cephalosporin, enzymatic removal of, 80
Microbial growth and polysaccharide production, factors affecting, during the fermentation of *Xanthomonas campestris* cultures, 39
Microbiological coal desulphurization, 13
Micororganisms, immobilized, ethanol production from pentoses by, 93
Model, deactivation, involving a grace period for immobilized and soluble enzymes, 44
Mucor and *Fusarium* species, ethanol production from pentoses and sugar-cane bagasse hemicellulose hydrolysate by, 169
Multienzymes and cofactors, immobilization of, within lipid–polyamide membrane microcapsules for the multistep conversion of lipophilic and lipophobic substrates, 327
Mutant of *Trichoderma reesei* (RUT-C30), increased endoplasmic reticulum content of, in relation to cellulase synthesis, 110
Mutants EA_3-867 and N_2-78, *Trichoderma pseudokoningii*, induction and regulation of cellulase synthesis in, 3

Neoglycoenzymes: production and physicochemical properties, 381
Nitriles, a new method to prepare amides by bioconversion of, 195
Non-porous glass beads, poly(ethylenimine)-coated, immobilization of glucoamylase from *Aspergillus niger* on, 107
Nylon tube reactors, immobilized enzyme, analytical applications for routine use with, 290

Operational stabilities and kinetics of glucoamylase immobilized on alkylamine derivatives of titanium(IV)-activated porous inorganic supports, 343
Oxyanions, effect of, on the glucose isomerase catalysed equilibrium: 1. Complexes of D-glucose and D-fructose with germanate, 390
Oxygen generation, *in situ*, studies on a coimmobilized algae–bacteria preparation. Oxygen supply to immobilized cells: 2., 395
Oxygen supply to immobilized cells: 1. Oxygen production by immobilized *Chlorella pyrenoidosa*, 332
Oxygen supply to immobilized cells: 2. Studies on a coimmobilized algae–bacteria preparation with *in situ* oxygen generation, 395

Pachysolen tannophilus, ethanol production from D-galactose and glycerol by, 349
Patent reports, 54, 122, 202, 280, 360 and 435
Penicillin amidase, reaction kinetics and mechanisms of: a comparative study by computer simulation, 35
Pentoses, ethanol production from, by immobilized microorganisms, 93
Pentoses and sugar-cane bagasse hemicellulose hydrolysate, ethanol production from, by *Mucor* and *Fusarium* species, 169
Polarized ultrafiltration membrane reactor, β-D-glucosidase stabilization in, 322
Poly(ethylenimine), crosslinked: an enzyme carrier with spacers of various lengths introduced in crosslinking reaction, 233
Poly(ethylenimine)-coated non-porous glass beads, immobilization of glucoamylase from *Aspergillus niger* on, 107
Polysaccharide production, factors affecting microbial growth and, during the fermentation of *Xanthomonas campestris* cultures, 39
Porous silicas, immobilization of glucoamylase on, 89
Pronase, immobilized proteases of *Streptomyces griseus*, urea denaturation of, 313
Pronase, immobilized *Streptomyces griseus* proteases, use of, as a probe of structural transitions of lysozyme, β-lactoglobulin and casein, 317
Protease determination in a fermenter, automatic, application of, 104
Proteases, immobilized, of *Streptomyces griseus* (pronase), urea denaturation of, 313
Proteases, *Streptomyces griseus*, immobilized, use of, as a probe of structural transitions of lysozyme, β-lactoglobulin and casein, 317
Protective agent, protein–phospholipid complex as, continuous production of ethanol in a two-stage fermentation process using, 256
Proteins (enzymes), inactivation and reactivation of, 299
Proteins adsorbed to a hydrophobic surface used for determination of proteolytic activity, 265
Protein–phospholipid complex as a protective agent, continuous production of ethanol in a two-stage fermentation process using, 256
Proteolytic activity, proteins adsorbed to a hydrophobic surface used for determination of, 265
Proteolytic inactivation of 1,4-α-D-glucan 6-α-D-glucosyltransferase purified from *Aspergillus niger* R-27, 185
Providencia sp. PCM 1298, immobilized whole cells of, containing L-amino acid oxidase. Production of α-keto acids: 2., 409

Racemic mixture, selective decomposition of D-threonine in, the L- and D-threonine dehydratases accompanying L-tyrosine phenol-lyase, 164
Reaction kinetics and mechanisms of penicillin amidase: a comparative study by computer simulation, 35
Reactor, fluidized bed biofilm, mathematical model for, 269
Reactors, immobilized enzyme nylon tube, analytical applications for routine use with, 290
Reactor–separator column, β-amylase, the development of, immobilization of enzymes on Spheron: 2., 147
Regulation and induction of cellulase synthesis in *Trichoderma pseudokoningii* mutants EA_3-867 and N_2-78, 3
Ribonuclease insolubilization using diazotized silk, 249

Saccharomyces cerevisiae, evaluation of immobilized cytochrome *P*-448 from, using permeabilized whole cell, microsomal fraction and highly purified reconstituted forms, with benzopyrene-3-monooxygenase activity, 401
Saccharomycopsis lipolytica, preliminary genetic studies on a citric acid producing strain of, 116
Sephadex and Sepharose, mechanism of activation of, by cyanogen bromide, 161
Sewage contamination of beaches, assay of urease activity in marine sands as an indicator of, 310

Shear and temperature, effects of, on the activity of acid phosphatase in a tubular membrane reactor, 181
Silicas, porous, immobilization of glucoamylase on, 89
Silk, diazotized, ribonuclease insolubilization using, 249
Soil and river sediments, assay of α-amylase in: its use to determine the effects of heavy metals on starch degradation, 32
Soluble and immobilized enzymes, deactivation model involving a grace period for, 44
Solvent treatment for β-D-galactosidase release from yeast cells, 229
Spiramycins, fermentative production of, 20
Spheron, immobilization of enzymes on: 1. Trypsin and glucoamylase by the titanium-chelation method, 143
Spheron, immobilization of enzymes on: 2. β-Amylase – the development of a column reactor–separator, 147
Stabilization of β-D-glucosidase in a polarized ultrafiltration membrane reactor, 322
Starch degradation, effects of heavy metals on: assay of α-amylase in soil and river sediments to determine, 32
Streptomyces griseus, immobilized proteases of, (pronase), urea denaturation of, 313
Streptomyces griseus proteases (pronase), immobilized, use of, as a probe of structural transitions of lysozyme, β-lactoglobulin and casein, 317
Streptomycete, keratin-decomposing, 158
Sugar beet industry, immobilized α-D-galactosidase in, 130
Sugar-cane bagasse hemicellulose hydrolysate, and pentoses, ethanol production from, by *Mucor* and *Fusarium* species, 169
Supports, porous inorganic, titanium(IV)-activated, investigation of the binding mechanism of glucoamylase to alkylamine derivatives of, 337
Supports, porous inorganic, titanium(IV)-activated, investigation of the operational stabilities and kinetics of glucoamylase immobilized on alkylamine derivatives of, 343
Surface deactivation of cellulase and its prevention, 99

Temperature and shear, effects of, on the activity of acid phosphatase in a tubular membrane reactor, 181
D-Threonine in racemic mixture, selective decomposition of, the L- and D-threonine dehydratases accompanying L-tyrosine phenol-lyase, 164
Threonine dehydratases, L- and D-, accompanying L-tyrosine phenol-lyase: selective decomposition of D-threonine in racemic mixture, 164
Titanium(IV)-activated porous inorganic supports, investigation of the binding mechanism of glucoamylase to alkylamine derivatives of, 337
Titanium(IV)-activated porous inorganic supports, investigation of the operational stabilities and kinetics of glucoamylase immobilized on alkylamine derivatives of, 343
Titanium-chelation method for immobilization of enzymes on Spheron: 1. Trypsin and glucoamylase by the titanium-chelation method, 143
Trichoderma pseudokoningii mutants EA_3-867 and N_2-78, induction and regulation of cellulase synthesis in, 3
Trichoderma reesei, mutant of, (RUT-C30), increased endoplasmic reticulum content of, in relation to cellulase synthesis, 110
Trypsin and glucoamylase immobilization by titanium-chelation method. Immobilization of enzymes on Spheron: 1., 143
Trypsin inhibitors in the tubers of cocoyam (*Xanthosoma sagittifolium*), studies on, 353
Tubular membrane reactor, effects of temperature and shear on the activity of acid phosphatase in, 181
L-Tyrosine phenol-lyase, the L- and D-threonine dehydratases accompanying, selective decomposition of D-threonine in racemic mixture, 164

Ultrasound waves, continuous production of D-glucose oxidase with *Aspergillus* sp. under, 85
Urea denaturation of the immobilized proteases of *Streptomyces griseus* (pronase), 313
Urease activity in marine sands, assay of, its use as an indicator of sewage contamination of beaches, 210

Vitamin analysis with use of a yeast electrode, 153

Xanthomonas campestris cultures, factors affecting microbial growth and polysaccharide production during the fermentation of, 39
Xanthosoma sagittifolium, cocoyam, tubers of, studies on trypsin inhibitors in, 353

Yeast, immobilized, reactor system for ethanol production, performance of, 000
Yeast aspartate aminotransferase: preparation of the apoenzyme and its interaction with coenzyme analogues, 419
Yeast cells, β-D-galactosidase release from, solvent treatment for, 229
Yeast cells, zeta potential of, application in cell immobilization, 191
Yeast electrode, vitamin analysis with use of, 153
Yeast fermentation of high xylulose solution and acid hydrolysate of hemicellulose, effects of borate on isomerization and, 25
Yeast growth and fermentation, effect of carbon dioxide on, 210

Zeta potential of yeast cells: application in cell immobilization, 191